

10. AIR & POWER TOOLS

CONTENTS

AIR TOOLS

01. Brass Fittings, Hose & Hose Clamps	2
02. Air Couplings.....	4
03. Air Filters & Regulators	6
04. Manifolds & Swivel Connectors	7
05. Spray Guns & Accessories	7
06. Spot Weld Mills	8
07. Air Grinders	8
08. Air Bevelers	9
09. Air Drills	9
10. Hose Reels	9
11. Impact Wrenches	10
12. Screwdrivers	10
13. Tyre Inflators	10
14. Blow Guns & Equipment	10
15. Air Riveters	11
16. Air Engraving Pens & Caulking Guns	11
17. Air Tool Lubricant	11
18. Air Compressor Oil	12
19. Air Tool Cleaner	12
20. Pneumatic Name Plate Tacker	12
21. Wrenches	12
22. Panel Cutters	13
23. Trimmers / Routers	13
24. Sanders	13
25. Polishers	15
26. Air Hammers	15
27. Shears	16
28. Nibblers	16
29. Needle Scalars	16
30. Punch / Flange Tools	16
31. Saws	16
32. Sealer Cutters	17
33. Accessories	17
34. Air Compressors	18

POWER TOOLS

01. Power Tools – Angle Grinders	19
02. Power Tools – Metal Cut Off Saws	19
03. Power Tools – Drills – Power	19
04. Power Tools – Drills – Cordless	19
05. Power Tools – Grinders – Straight/Die	20
06. Power Tools – Sia Star Kit	20



PH: 1800 935 378

01. BRASS FITTINGS, HOSE & HOSE CLAMPS

01. BRASS FITTINGS, HOSE & HOSE CLAMPS

Standard Compression Brass Fittings - Universal Sleeves No. 100

Part No.	Description
100-1/8	Universal Sleeve 1/8
100-3/16	Universal Sleeve 3/16
100-1/4	Universal Sleeve 1/4
100-5/16	Universal Sleeve 5/16
100-3/8	Universal Sleeve 3/8
100-1/2	Universal Sleeve 1/2



Brass Caps & Taper Plugs

Part No.	Description
33-1/4	Cap 1/4 BSP. Female #33
33-1/8	Cap 1/8 BSP. Female #33
33-3/8	Cap 3/8 BSP. Female #33
40.152	Taper Plug 1/8 BSP Male # 64
40.1521	Taper Plug 1/4 BSP Male # 64
40.1522	Taper Plug 3/8 BSP Male # 64
40.1523	Taper Plug 1/2 BSP Male # 64



Brass Reducing Bushes No.24

Part No.	Description
41.153	Reducing Bush 1/4 x 1/8 BSP #24
41.1532	Reducing Bush 3/8 x 1/4 BSP #24
41.1531	Reducing Bush 3/8 x 1/8 BSP #24
41.1535	Reducing Bush 1/2 x 3/8 BSP #24
41.1533	Reducing Bush 1/2 x 1/8 BSP #24
41.1534	Reducing Bush 1/2 x 1/4 BSP #24



No.72 Brass Male & Female Adaptor

Part No.	Description
72-1/8x1/8	M & F Adapter 1/8 BSP Fx1/8 BSP Male #72
42.1541	M & F Adapter 1/4 BSP Fx1/8 BSP Male #72
72-1/4x1/4	M & F Adapter 1/4 BSP Fx1/4 BSP Male #72
72-3/8x1/8	M & F Adapter 3/8 BSP Fx1/8 BSP Male #72
42.1543	M & F Adapter 3/8 BSP F x 1/4 BSP Male #72
72-3/8x3/8	M & F Adapter 3/8 BSP F x 3/8 BSP Male #72
72-1/2x1/4	M & F Adapter 1/2 BSP F x 1/4 BSP Male #72
42.1545	M & F Adapter 1/2 BSP F x 3/8 BSP Male #72
72-1/2x1/2	M & F Adapter 1/2 BSP F x 1/2 BSP Male #72



Brass Elbows & Tee Pieces

Part No.	Description
25/1/08	M & F Threaded Elbow 1/8 BSP #25
34-1/4	Female Elbow 1/4 BSP. Female #34
34-3/8	Female Elbow 3/8 BSP. Female #34
35-1/4	Female Tee Piece 1/4 BSP # 34
35-3/8	Female Tee Piece 3/8 BSP # 35
37-1/4	Female Cross Piece 1/4 BSP # 37
47.161	M & F Threaded Elbow 1/4 # 25
47.1611	M & F Threaded Elbow 3/8 BSP # 25



No.27 Male Hexagon Nipple

Part No.	Description
39.15	Hex Nipple 1/8 BSP # 27



No. 73 Male Brass Hexagon Reducing Nipple

Part No.	Description
42.1543	Reducing Nipple 1/4 x 1/8 BSP. Male # 73
72-3/8x3/8	Reducing Nipple 3/8 x 1/8 BSP. Male # 73
72-1/2x1/4	Reducing Nipple 3/8 x 1/4 BSP. Male # 73
42.1545	Reducing Nipple 1/2 x 1/4 BSP. Male # 73
72-1/2x1/2	Reducing Nipple 1/2 x 3/8 BSP. Male # 73





P10 Brass Female Tailpiece

Part No.	Description
28.1208	Male Tail Piece 3/8t x 1/4 BSP
28.1213	Male Tail Piece 3/8t x 3/8 BSP
29.1255	Female Tail Piece 3/16t x 1/4 BSP Female
29.1256	Female Tail Piece 1/4t x 1/4 BSP Female
29.1258	Female Tail Piece 3/8t x 1/4 BSP Female
29.1262	Female Tail Piece 3/8t x 3/8 BSP Female
29.1267	Female Tail Piece 1/2t x 1/2 BSP Female
P3-5/16TX1/4	Male Tail Piece 5/16t x 1/4 BSP Male P3
P3-3/8TX1/4	Male Tail Piece 3/8t x 1/4 BSP Male P3
P3-1/2TX1/4	Male Tail Piece 1/2t x 1/4 BSP Male P3
P3-3/8TX3/8	Male Tail Piece 3/8t x 3/8 BSP Male P3



P5 Brass Nut & Tails

Part No.	Description
36.136	Nut & Tail 1/4t x 1/4 BSP Female P5
P5-5/16Tx1/4	Nut & Tail 5/16t x 1/4 BSP Female P5
P5-5/16Tx3/8	Nut & Tail 5/16t x 3/8 BSP Female P5
P5-3/16Tx1/4	Nut & Tail 3/16t x 1/4 BSP Female P5
P5-3/16Tx1/8	Nut & Tail 3/16t x 1/8 BSP Female P5
36.1375	Nut & Tail 1/4t x 3/8 BSP Female P5
36.137	Nut & Tail 3/8t x 1/4 BSP Female P5



Hose Joiners

Part No.	Description
27.128	Hose Joiner 3/16 Tube P7-3/16
27.1281	Hose Joiner 1/4 Tube P7-1/4
27.1282	Hose Joiner 5/16 Tube P7-5/16
27.1283	Hose Joiner 3/8 Tube P7-3/8
27.1284	Hose Joiner 1/2 Tube P7-1/2



Air Hose Flex

- Twin core flex quality air hose
- With selected range of coupling and adaptors
- UV Stabilised
- Suitable for compressed air applications



Air Hose Flex (Continued...)

Part No.	Description
AH6MM1D	6mm 1d Blue Air Hose
P/TB012	12mm True Blue PVC Airline
HLM050	50mm M/O PVC Blue Layflat Hose
P/TB010/100	10mm True Blue PVC Airline

O'Clip Pliers & Clamps

- Top quality two ear zinc plated steel o'clips
- Permanent security fixture



Part No.	Description
21.2571	'O' Clip Plier #1099 Side Top Pincers
53.18	'O' Clip Clamp 5-7mm dia Hose
53.1801	'O' Clip Clamp 7-9mm dia Hose
53.1802	'O' Clip Clamp 9-11mm dia Hose
53.1803	'O' Clip Clamp 11-13mm dia Hose
53.1804	'O' Clip Clamp 13-15mm dia Hose
53.1805	'O' Clip Clamp 15-18mm dia Hose
53.1806	'O' Clip Clamp 17-20mm dia Hose

Mini Ball Valves

- Ideal for applications such as Industrial, Pneumatic, Domestic and Hydraulic
- Chrome plated brass



Part No.	Description
66.035	Female 1/8" 220psi 90oC Air, Fuel, Oil, Water. Chrome Plated Brass
66.0351	Female 1/4" 220psi 90oC Air, Fuel, Oil, Water. Chrome Plated Brass
66.0352	Female 3/8" 220psi 90oC Air, Fuel, Oil, Water. Chrome Plated Brass
66.0353	Female 1/2" 220psi 90oC Air, Fuel, Oil, Water. Chrome Plated Brass
66.0354	Female/Male 1/4" 220psi 90oC Air, Fuel, Oil, Water. Chrome Plated Brass

01. BRASS FITTINGS, HOSE & HOSE CLAMPS (CONTINUED...)

Hose Clamps

- Zinc plated mild steel hose clamps
- Secure fittings utilised on Air hose
- Variety of sizes available for all needs
- Easily removed if changing fitting
- Reuseable



Part No.	Description
HC2	40-55 Steel Hose Clamp
HC2A	35-40 Steel Hose Clamp
HC2X	45-60 Steel Hose Clamp
HC3	55-70 Steel Hose Clamp
HCI	25-35 Steel Hose Clamp
HCIA	22-30 Steel Hose Clamp
HCIX	30-40 Steel Hose Clamp
HCOO	13-20 Steel Hose Clamp
HCOOO	9-12 Steel Hose Clamp
HCOX	18-25 Steel Hose Clamp

Cejn Style Couplings & Nipples (Continued...)

Part No.	Description
59.3497	Cejn Style Coupling 1/4 BSP Male
59.3498	Cejn Style Coupling 3/8 BSP Male



Part No.	Description
59.3483	Cejn Style Coupling 1/4 BSP Female
59.3484	Cejn Style Coupling 3/8 BSP Female



Part No.	Description
59.3483	Cejn Style Nipple 1/4 BSP Female
59.3484	Cejn Style Nipple 3/8 BSP Female



Air Couplings (Nitto Style)

- High flow capacity
- Heavy duty steel
- Quick release compressed air hose fittings

Part No.	Description
200-20SH	Nitto Hi-Cupla 200 Coupling 6mm (1/4") ID Hose
200-30SH	Nitto Hi-Cupla 200 Coupling 10mm (3/8") ID Hose
200-40SH	Nitto Hi-Cupla 200 Coupling 12mm (1/2") ID Hose



02. AIR COUPLINGS

Cejn Style Couplings & Nipples

- Anti release flange
- Interchanges with Cejn equivalent
- Used in large air consumption applications

Part No.	Description
59.3491	Cejn Style Coupling 8mm Hose Tail
59.3492	Cejn Style Coupling 10mm Hose Tail
59.3493	Cejn Style Coupling 12mm Hose Tail



Part No.	Description
59.3480	Cejn Style Nipple 1/4 BSP Male
59.3481	Cejn Style Nipple 3/8 BSP Male



Part No.	Description
59.3486	Cejn Style Nipple 6mm Hose Tail
59.3487	Cejn Style Nipple 8mm Hose Tail
59.3488	Cejn Style Nipple 10mm Hose Tail
59.3489	Cejn Style Nipple 12mm Hose Tail



Part No.	Description
200-20SF	Nitto Hi-Cupla 200 Coupling 1/4 BSP Female
200-30SF	Nitto Hi-Cupla 200 Coupling 3/8 BSP Female
200-40SF	Nitto Hi-Cupla 200 Coupling 1/2 BSP Female



Part No.	Description
20PM	Nitto Hi-Cupla Plug 1/4 BSP Male
30PM	Nitto Hi-Cupla Plug 3/8 BSP Male
40PM	Nitto Hi-Cupla Plug 1/2 BSP Male



Part No.	Description
20PH	Nitto Hi-Cupla Plug 6mm (1/4") ID Hose
30PH	Nitto Hi-Cupla Plug 10mm (3/8") ID Hose
40PH	Nitto Hi-Cupla Plug 10mm (1/2") ID Hose





Air Couplings (Nitto Style) (Continued...)

Part No.	Description
200-20SM	Nitto Hi-Cupla 200 Coupling 1/4 BSP Male
200-30SM	Nitto Hi-Cupla 200 Coupling 3/8 BSP Male
200-40SM	Nitto Hi-Cupla 200 Coupling 1/2 BSP Male



Part No.	Description
20PF	Nitto Hi-Cupla Plug 1/4 BSP Female
30PF	Nitto Hi-Cupla Plug 3/8 BSP Female
40PF	Nitto Hi-Cupla Plug 1/2 BSP Female



Air Couplings (JP Series 900 Style)

- Stainless steel balls
- Knurled sleeve for extra grip
- Interchanges with Ryco equivalent

Part No.	Description
09-0800	JP Series 900 1/4 BSP Female Coupling



Part No.	Description
19-0870	JP Series 900 1/4 BSP Male Adapter



Part No.	Description
19-0875	JP Series 900 1/4 Barb Adapter Hose Tail
19-0876	JP Series 900 5/16 Barb Adapter Hose Tail
19-0877	JP Series 900 3/8 Barb Adapter Hose Tail
19-0879	JP Series 900 3/8 Barb Adapter Hose Tail



Part No.	Description
09-0815	JP Series 900 1/4 BSP Male Coupling



Part No.	Description
19-0872	JP Series 900 1/4 BSP Female Adapter



Air Couplings (JP Series 310 Style)

- Single button
- Heavy duty, industrial strength

Part No.	Description
13-0980	JP Series 310 1/4 BSP Female Coupling



Part No.	Description
31-1107	JP Series 310 1/4 BSP Male Adapter



Part No.	Description
31-1117	JP Series 310 1/4 Barb Hose Tail
31-1118	JP Series 310 5/16 Barb Hose Tail
31-1119	JP Series 310 3/8 Barb Hose Tail



Part No.	Description
13-0965	JP Series 310 Coupling 1/4 BSP Male



Part No.	Description
31-1111	JP Series 310 1/4 BSP Female Adapter



Check out our
**Safety Equipment
 Catalogue**

for our wide range of

Eye Protection.

1800 935 378

1800 WELD QUIP



03. AIR FILTERS & REGULATORS

1/4" Mini Filter Regulator

- Maximum working pressure 150 psig
- Semi auto water drain
- Mounting bracket
- Pressure gauge
- Poly carbonate bowl



Part No.	Description
6.241	1/4" Mini Filter Regulator

1/4" Filter Regulator

- Maximum working pressure 150 psig
- Automatic water drain
- Mounting bracket
- Pressure gauge
- Poly carbonate bowl with metal bowl guard
- Robust metal construction



Part No.	Description
6.2426	1/4" Filter Regulator

1/2" Filter Regulator

- Maximum working pressure 150 psig
- Automatic water drain
- Mounting bracket
- Pressure gauge
- Poly carbonate bowl with metal bowl guard
- Robust metal construction



Part No.	Description
6.2432	1/2" Filter Regulator

1/4" Filter Regulator and Lubricator

- High visibility for lubricant drop
- Maximum working pressure 150 psig
- Automatic water drain
- Wall mounting bracket
- Pressure gauge
- Poly carbonate bowl with metal bowl guard
- Robust metal construction



1/4" Filter Regulator and Lubricator (Continued...)

Part No.	Description
6.2445	1/4" Filter Regulator and Lubricator

1/4" Regulator

- Provides a constant outlet pressure
- Maximum working pressure 150 psig
- Locking pressure adjustment knob
- Mounting bracket
- Pressure gauge
- Robust metal construction
- Compact and lightweight



Part No.	Description
6.2461	1/4" Regulator

1/4" Filter

- General purpose filter for water and particle
- Maximum working pressure 150 psig
- Automatic water drain
- Mounting bracket
- Pressure gauge
- Bowl can be attached and detached with one hand
- Robust metal construction



Part No.	Description
6.2454	1/4" Filter

1/4" Lubricator

- Oil needle for easy oil level adjustment
- Accurate lubrication of downstream equipment
- Maximum working pressure 150 psig
- Automatic water drain
- Mounting bracket
- Pressure gauge
- Poly carbonate bowl with metal bowl guard
- Robust metal construction



Part No.	Description
6.2473	1/4" Lubricator





05. SPRAY GUNS & ACCESSORIES

Sub Micronic Air Filter

- 1/2" side entry points
- Used for drying compressed air
- Great for extending the life of your plasma parts



Part No.	Description
M26	Sub Micronic Air Filter

Cellulose Fibre Element

- Polyethylene Core
- To suit M26



Part No.	Description
M723	Cellulose Fibre Element

04. MANIFOLDS & SWIVEL CONNECTORS

Manifolds

- High flow design
- Ideal for running more than one outlet
- Alloy construction



Part No.	Description
66.1654	5 Way Manifold Straight In 1/4" Out 1/4" Anodised Aluminium
66.1655	3 Way Manifold Round In 1/4" Out 1/4" Anodised Aluminium

Swivel Connectors

- For direct connection to all air tools
- Prevents hose kink
- Steel connector



Part No.	Description
24.0743	Female to Male 1/4" x 1/4" Steel

Spray Guns General Purpose

- Suitable for a wide range of sprayable products including paint and industrial coatings.



Part No.	Type	Fluid Tip (mm)	Air Consump (l/min)	Compressor (cfm)	Suitable for
SG1000-13S	Gravity	1.3	170	6-8	2 Pak Topcoat, Enamel & Polyurethane
SG1000-15G	Gravity	1.5	181	6-12	2 Pak Basecoat, Enamel & Acrylic Lacquer
SG1000-18G	Gravity	1.8	201	6-12	Acrylic Lacquer, Furniture Lacquer, Industrial enamel & Primer
SG1000-13S	Suction	1.3	170	6-8	2 Pak Topcoat, Enamel & Polyurethane
SG1000-15S	Suction	1.5	181	6-10	2 Pak Basecoat, Enamel & Acrylic Lacquer
SG1000-18S	Suction	1.8	201	6-12	Acrylic Lacquer, Furniture Lacquer, industrial Enamel & Primer

Spray Guns Pro Series

- Provides a fine finish ideal for quality top coat applications.
- These guns are the best choice for conventional spraying for quality finishes.



Part No.	Type	Fluid Tip (mm)	Air Consump (l/min)	Compressor (cfm)	Suitable for
SP1000-13S	Suction	1.3	229	6-8	2 Pak Topcoat, Enamel & Polyurethane
SP1000-18S	Suction	1.8	252	6-12	Acrylic Lacquer, Furniture Lacquer, Industrial Enamel & Primer
SP2000-15S	Suction	1.5	306	8-12	2 Pak Basecoat, Fine Finish Top Coat, Enamel & Polyurethane
SP2000-18S	Suction	1.8	314	12-15	Enamel & Acrylic Lacquer
SP4000-14G	Gravity	1.4	300	8-12	2 Pak Basecoat, Fine Finish Top Coat & Polyurethane
SP4000-20G	Gravity	2.0	323	10-15	Acrylic lacquer, Primer Filler, Metallic & Industrial Enamel

05. SPRAY GUNS & ACCESSORIES (CONTINUED...)

Pressure Pots

- Ideal in large applications.
- Ideal on structural steel.



Part No.	Description
02007-T	5M Pro Pressure Pot Hose
02102	2 Ltr Star Pro Pot No.2
02105-B	10Ltr Propot & Hose
02210-M	10Ltr pro Pressure Pot

06. SPOT WELD MILLS

Spot Weld Mills

- Air operated



Part No.	Description
SI-5800	Straight Spot Mill 8mm Collect Capacity
SI-5850A	Pistol Spot Mill 8mm Collect Capacity

Check out our
Abrasives Catalogue
for our wide range of
Preparation products.

1800 935 378
1800 WELD QUIP



07. AIR GRINDERS

Air Angle Grinders

- Sizes from 100mm
- Industrial quality grinder with lever throttle (further information available on request)



Part No.	Description
SI-2500L	100mm Angle Grinder, Heavy Duty, Lever Throttle, Governed
SI-2501L	100mm Compact Angle Grinder, Lever Throttle, Governed
SI-2505L	125mm Angle Grinder, Heavy Duty, Lever Throttle, Governed
SI-2515L-14	125mm Angle Grinder Heavy Duty, Lever Throttle, Governed
SI-2600L	180mm Angle Grinder Heavy Duty, Safety Lever Throttle, Governed

Air Die Grinders

- Safety lever throttle
- Variable speed
- Designed for use with burrs/files and mounted points



Part No.	Description	Specifications
SI-2001S	1/4" Compact Die Grinder	1/4" Collet, 25000rpm, 151mm Length, 0.37kg
SI-2002	1/4" Compact Die Grinder - Polymer Body Cover	1/4" Collet, 25000rpm, 151mm Length, 0.38kg
SI-2005	1/4" Right Angle Die Grinder - Polymer Body Cover,	1/4" Collet, 20000rpm, 157mm Length, 0.50kg
SI-2006S	1/4" Right Angle Die Grinder	1/4" Collet, 20000rpm, 157mm Length, 0.50kg
SI-2011S	1/4" Medium Die Grinder	1/4" Collet, 22000rpm, 170mm Length, 0.60kg
SI-2012	1/4" Medium Die Grinder - Polymer Body Cover	1/4" Collet, 22000rpm, 170mm Length, 0.60kg
SI-2022S	1/4" Extended Die Grinder	1/4" Collet, 22000rpm, 326mm Length, 1.34kg



Fan Grinders (Continued...)



Part No.	Description	Specifications
SI-2015A	1/4" Fan Grinder - Polymer Body Cover, Variable Speed	1/4" Collet, 5500rpm, 217mm Length, 0.91kg
SI-2023	1/4" Extended Fan Grinder	1/4" Collet, 6000rpm, 344mm Length, 1.70kg

Mini Grinders

- Lightweight
- Roll throttle



Part No.	Description	Specifications
SI-2050AG	Mini Angle Grinder	30mm Wheel, 20000rpm, 115mm Length, 0.24kg
SI-2051SG	Pencil Grinder	1/8" Collet, 50000rpm, 150mm Length, 0.194kg

08. AIR BEVELERS

Air Bevelers

- Stainless & mild steel beveling
- Bevels upto 2mm in mild steel & 3mm in stainless
- Adjustable beveling angle 15°-45°



Part No.	Description
AMB0307	Nitto Speed 14000rpm Angle 15°- 45°

09. AIR DRILLS

Air Drills

- Key or keyless chuck
- Many models available



Part No.	Description	Specifications
SI-2015AD	10mm Straight Drill	6mm Drilling Capacity, 10mm Chuck, Capacity 6000rpm, Polymer Body Cover, 231mm Length, 1.06kg
SI-5100A	6mm Pistol Drill	10mm Keyed Chuck, 5000rpm, 150mm Length 0.90kg
SI-5200A	13mm Heavy Duty Pistol Drill	13mm Keyed Chuck, 600rpm, 185mm Length 1.42kg
SI-5300A	10mm Heavy Duty Pistol Drill	10mm Keyed Chuck, 2000rpm, 150mm Length 0.91kg
SI-5300AMK	10mm Heavy Duty Pistol Drill	10mm Metal Keyless Chuck, 2000rpm, 190mm Length 1.26 kg
SI-5305A	10mm Reversible Pistol Drill	10mm Keyed Chuck, 2000rpm, 150mm Length 1.02kg
SI-5305-8A	13mm Reversible Pistol Drill	13mm Chuck, 800rpm, 185mm Length 1.45kg
SI-5355	10mm Reversible Angle Drill	10mm Keyed Chuck, 1200rpm, 202mm Length 0.94kg
SI-5500	10mm Pistol Drill	10mm Keyed Chuck, 2600rpm, 160mm Length 0.79kg
SI-5500K	10mm Pistol Drill	10mm Plastic Keyless Chuck, 2600rpm, 160mm Length 0.85kg
SI-5505	10mm Reversible Pistol Drill	Light Weight Polymer Body, 10mm Keyed Chuck

10. HOSE REELS

Hose Reels

- The perfect solution for general workshop applications



Part No.	Description
AW815	Air/Water 8mm x 15mtr hose 3/8 BSP Fitting
AW820	Air/Water 8mm x 20mtr hose 3/8 BSP Fitting
AW1218	Air/Water Reel 12mm x 18mtr 1/2 BSP Fitting
AW1015	Air/Reel 10mm x 15mtr 3/8 BSP Fitting
AW1020	Air/Water 10mm x 20mtr 3/8 BSP Fitting
AW1215	Air/Water 12mm x 15mtr 3/8 BSP Fitting

11. IMPACT DRIVERS

Impact Drivers

- Top quality suitable for many jobs in the workshop



Part No.	Description	Specifications
SI-1051	1/4" Hex Dr Impact Driver - Straight Grip, Side Exhaust	5mm Capacity, 162mm Length, 0.55kg
SI-1060	1/4" Hex Dr Impact Driver - Straight Grip, Rear Exhaust	6mm Capacity, 208mm Length, 0.87kg
SI-1065	1/4" Hex Dr Impact Driver - Pistol Grip, Handle Exhaust	6mm Capacity, 165mm Length, 0.98kg
SI-1356D	1/4" Hex Dr Impact Driver - Pistol Grip, Front Exhaust	8mm Capacity, 142mm Length, 1.22kg
SI-1365D	1/4" Hex Dr Impact Driver - Pistol Grip, Double Hammer Clutch, Muffled Exhaust	8mm Capacity, 143mm Length, 1.32kg
SI-1370D	1/4" Hex Dr Impact Driver - Straight Grip, Double Hammer Clutch, Muffled Exhaust	8mm Capacity, 227mm Length, 1.21kg

13. TYRE INFLATORS

Tyre Inflators

- Straight clip on chuck
- 50mm Dial gauge with rubber impact protector
- UV stabilised hose
- Inflate/deflate control



Part No.	Description
02.0135	Dial Tyre Inflator 1/4" BSP 50mm Dial, Clip On Chuck, Single Straight, Length 350mm Light Trade
02.0137	Dial Tyre Inflator 1/4" BSP 50mm Dial, Clip On Chuck, Single Straight, Length 1000mm Light Trade
10.2000	1/4" BSP Sight Glass, Hold On Chuck, Dual Angle, Length 500mm Industrial
02.0100	1/4" BSP Reader Bar, Hold On Chuck, Dual Angle Length 450mm Industrial / Tractor
02.0150	1/4" BSP 50mm Dial, Clip On Chuck, single Straight Length 400mm Industrial

12. SCREWDRIVERS

Screwdrivers

- Adjustable slip clutch
- Reversible
- Further information available on request



Part No.	Description	Specifications
SI-1130A	1/4" Hex Dr Screwdriver - Adjustable Clutch	3mm Capacity, Push Start, 2000rpm, 177mm Length, 0.30kg
SI-1140	1/4" Hex Dr Screwdriver - Adjustable Clutch	4mm Capacity, Level Start, 1700rpm, 203mm Length, 0.62kg
SI-1161	1/4" Hex Dr Screwdriver - Adjustable Clutch	6mm Capacity, Level Start, 1600rpm, 247mm Length, 1.12kg
SI-1166A	1/4" Hex Dr Screwdriver - Adjustable Clutch	6mm Capacity, 2000rpm, 207mm Length, 1.12kg
SI-1166-8A	1/4" Hex Dr Screwdriver - Adjustable Clutch	6mm Capacity, 800rpm, 229mm Length, 1.35kg
SI-5305AQC	1/4" Hex Dr Screwdriver - Quick Change Chuck For Driver Bits	160mm Length, 1.07kg

14. BLOW GUNS & EQUIPMENT

Blow Guns & Equipment

- Brass insert in air inlet, brass valve
- Stainless steel spring
- Hanging facility
- Controlled air flow



Part No.	Description
07.0770	Angled Tipped Extension Nozzle Blow Gun, Pistol Grip, 85mm Std Nozzle 1/4" BSP interchangeable
07.0774	450mm Extended Nozzle Blow Gun, Pistol Grip, 1/4" BSP(f) interchangeable
07.0766	900mm Extended Nozzle Blow Gun, Pistol Grip, 1/4" BSP(f) interchangeable
04.0515	Palm Grip, Dart Nozzle 1/4" BSP(F)
07.0600	Tipped Extension Nozzle Blow Gun, Palm Grip 150mm Std Nozzle 1/4" BSP(f) interchangeable Nozzle
07.0602	Angled Extension Nozzle Blow Gun, Palm Grip, Adjustable Contour 1/4" BSP(f) Interchangeable Nozzle
07.0609	450mm Extended Nozzle, Interchangeable Nozzle, Industrial
07.0619	900mm Extended Nozzle, Interchangeable Nozzle, Industrial





15. AIR RIVETERS

Air Riveters

- Air/hydraulic



Part No.	Description
AL-3101	Standard 3/16" Capacity Riveter – Air / Hydraulic, 4.8mm Cap. Trac. Pwr 720kg Inlet 1/4"NPT Weight 1.3kg
AL-3102	Heavy Duty 1/4" Capacity Riveter – Air / Hydraulic, 3 piece Jaw, Universal Cylinder Joint Swivel, Forged Aluminium Alloy Wear Resistant Body, 6mm Cap. Trac Pwr 1100kg, Inlet 1/4"NTP, Length 287mm Weight 1.8kg

Hire or buy options available



Specialising in long term welding equipment hire

16. AIR ENGRAVING PEN & CAULKING GUN

Air Engraving Pen & Caulking Gun

- Hardened stylus tip



Part No.	Description
AL-2480	Precision Engraving Pen, Hardened Stylus Tip
AL-2354	Standard Caulking Gun 50mm x 210mm Tube Inlet 1/4"NTP Weight 1.12kg, Length 275mm, 30-60psi

Ask us about our flexible lease options.

For more information call

1800 935 378

1800 WELD QUIP

17. AIR TOOL LUBRICANT

Air Tool Lubricant

- Reduces wear
- Maintains performance



Part No.	Description
ATL-250	250ml
ATL-500	500ml
ATL-1000	1 Litre
ATL-5000	5 Litres

Check out our Welding Accessories Catalogue

for our wide range of **Welding tools.**

1800 935 378

1800 WELD QUIP



18. AIR COMPRESSOR OIL

Air Compressor Oil

- For Small Piston Compressors

Part No.	Description
ACO - 1000	1 Litre
ACO - 5000	5 Litres



19. AIR TOOL CLEANER

Air Tool Cleaner

- Flushes, Cleans, Lubricates
- Restores Performance

Part No.	Description
ATC - 1000	1 Litre
ATC - 5000	5 Litres



20. PNEUMATIC NAME PLATE TACKER

Pneumatic Name Plate Tacker

- Permanent fastening of metal plates to metal tackers
- Fastens quickly
- No drilling or surface preparation



Part No.	Description
221	AMTAK Pneumatic Name Plate Tacker

21. WRENCHES

Ratchet Wrenches

- A versatile tool with many automotive and industrial uses



Part No.	Description	Specifications
SI-1107A	1/4" Sq. Dr. Micro Mini Ratchet Wrench - Polymer Body Cover	6mm Capacity, 300rpm, 125mm Long, 0.39kg
SI-1108A	3/8" Sq. Dr. Micro Mini Ratchet Wrench - Polymer Body Cover	10mm Capacity, 300rpm, 125mm Long, 0.40kg
SI-1200B	1/4" Sq. Dr. Mini Ratchet Wrench	6mm Capacity, 200rpm, 168mm Long, 0.51kg
SI-1205B	3/8" Sq. Dr. Mini Ratchet Wrench	10mm Capacity, 220rpm, 167mm Long, 0.51kg
SI-1207	1/4" Sq. Dr. Mini Ratchet Wrench - Polymer Body Cover	6mm Capacity, 200rpm, 170mm Long, 0.54kg
SI-1208	3/8" Sq. Dr. Mini Ratchet Wrench - Polymer Body Cover	10mm Capacity, 200rpm, 170mm Long, 0.54kg
SI-1251	1/4" Sq. Dr. Mini Ratchet Wrench - Polymer Body Cover	6mm Capacity, 200rpm, 158mm Long, 0.56kg
SI-1252	3/8" Sq. Dr. Mini Ratchet Wrench - Polymer Body Cover	10mm Capacity, 260rpm, 168mm Long, 0.56kg
SI-1261	1/4" Sq. Dr. Standard Ratchet Wrench - Polymer Body Cover	10mm Capacity, 170rpm, 259mm Long, 1.15kg
SI-1262	1/2" Sq. Dr. Standard Ratchet Wrench - Polymer Body Cover	16mm Capacity, 170rpm, 265mm Long, 1.16kg
SI-1320	3/8" Sq. Dr. Standard Ratchet Wrench - Front Exhaust	12mm Capacity, 160rpm, 265mm Long, 1.16kg
SI-1325	1/2" Sq. Dr. Standard Ratchet Wrench - Front Exhaust	16mm Capacity, 160rpm, 265mm Long, 1.17kg
SI-1340B	3/8" Sq. Dr. Standard Ratchet Wrench - Polymer Body Cover	12mm Capacity, 160rpm, 265mm Long, 1.14kg
SI-1345B	1/2" Sq. Dr. Standard Ratchet Wrench - Polymer Body Cover	16mm Capacity, 160rpm, 263mm Long, 1.15kg
SI-1435	1/2" Sq. Dr. Large Ratchet Wrench - Front Exhaust, Heavy Duty	14mm Capacity, 140rpm, 367mm Long, 1.95kg

Through Ratchet Wrench

- Further information available on request



Part No.	Description	Specifications
SI-1288S	17mm Hex. Dr. Through Ratchet Wrench	8-17mm Capacity, 180rpm, 211mm Long, 0.54kg Also available with 13-15mm Hex. Dr. and with 1/2" Hex. Dr.
SI-1288SK	Through Ratchet Wrench Kit - inc. Metal Box with 4 Sockets	8-14mm Socket Capacity, 11mm 13mm 3/8" Sq. Dr.



Impact Wrenches

- Straight and pistol grip
- 3/8 to 1 inch drive
- Top quality tool



Part No.	Description	Specifications
SI-1305	3/8" Sq. Dr. Impact Wrench - Butterfly Throttle, Single Dog Clutch, Front Exhaust	10mm Capacity, 158mm Long, 0.94kg
SI-1355	3/8" Sq. Dr. Impact Wrench - Pistol Grip, Single Dog Clutch, Front Exhaust	10mm Capacity, 142mm Long, 1.12kg
SI-1365	3/8" Sq. Dr. Impact Wrench - Pistol Grip, Twin Dog Clutch, Muffled Exhaust	10mm Capacity, 134mm Long, 1.31kg
SI-1370	3/8" Sq. Dr. Impact Wrench - Straight Grip, Twin Dog Clutch, Muffled Exhaust	10mm Capacity, 219mm Long, 1.18kg, Optional Protector
SI-1420B	1/2" Sq. Dr. Impact Wrench - Pistol Grip, Single Dog Clutch, Front Exhaust	16mm Capacity, 191mm Long, 2.60kg
SI-1422B	1/2" Sq. Dr. Impact Wrench - 50mm Ext. Anvil, Single Dog Clutch, Front Exhaust	16mm Capacity, 225mm Long, 2.69kg
SI-1440T	1/2" Sq. Dr. Impact Wrench - Pistol Grip, Twin Hammer Clutch, Handle Exhaust	18mm Capacity, 188mm Long, 2.12kg
SI-1442T	1/2" Sq. Dr. Impact Wrench - 50mm Ext. Anvil, Twin Hammer Clutch, Handle Exhaust	18mm Capacity, 240mm Long, 2.22kg
SI-1480	1/2" Sq. Dr. Impact Wrench - Pistol Grip, Pin Clutch, Handle Exhaust	18mm Capacity, 208mm Long, 2.37kg
SI-1482	1/2" Sq. Dr. Impact Wrench - 50mm Ext. Anvil, Pin Clutch, Handle Exhaust	18mm Capacity, 236mm Long, 2.41kg
SI-1540T	3/4" Sq. Dr. Impact Wrench - Pistol Grip, Twin Hammer Clutch, Handle Exhaust	20mm Capacity, 240mm Long, 3.40kg
SI-1546T	3/4" Sq. Dr. Impact Wrench - 50mm Ext. Anvil, Twin Hammer Clutch, Handle Exhaust	20mm Capacity, 388mm Long, 4.10kg
SI-1760T	1" Sq. Dr. Impact Wrench - Pistol Grip, Twin Hammer Clutch, Handle Exhaust	38mm Capacity, 268mm Long, 8.13kg
SI-1766T	1" Sq. Dr. Impact Wrench - 50mm Ext. Anvil, Twin Hammer Clutch, Handle Exhaust	38mm Capacity, 430mm Long, 8.13kg
SI-1770T	1" Sq. Dr. Impact Wrench - D-Handle, Twin Hammer Clutch	38mm Capacity, 355mm Long, 8.44kg
SI-1776T	1" Sq. Dr. Impact Wrench - 50mm Ext. Anvil, D-Handle, Twin Hammer Clutch	38mm Capacity, 530mm Long, 8.87kg

22. PANEL CUTTERS

Panel Cutters

- Safety lever throttle
- Variable speed
- Ideal for small cut off jobs



Part No.	Description	Specifications
SI-2033	75mm Disc Cutter - uses Thin Cutting Disks	75 x 1.6 x 9.5CH Disc Size, 1.2mm Capacity, 17000rpm, 1/4" NPT, 196mm Length, 1.00kg
SI-4750	Oscillating Cutter - fitted with Depth-of-Cut Gauge	63mm ø Blade, 2, 4 or 6mm Cutting Depths, 20,000spm, 204mm Length, 0.94kg

23. TRIMMERS / ROUTERS

Trimmer / Router

- Further information available on request



Part No.	Description	Specifications
SI-2018A	Laminate Trimmer / Router - Fully Adjustable Guides	1/4" Collet, 22000rpm, 177mm Length, 0.916kg

24. SANDERS

Disc Sanders

- Further information available on request



Part No.	Description	Specifications
SI-2026	125mm Angle Sander - 125mm Plastic Backing Pad for Fibre Discs, Variable Speed	125 x 22CH, 5/8"-11 Spindle Thread, 5000rpm, 285 x 100mm Length x Height, 1.50kg
SI-2201-R	50mm Quick Change Sander - 50mm Rubber Backing Pad for EZ-LOK Discs, Variable Speed	50mm ø Disc Size, 1/4"-20 Spindle Thread, 17000rpm, 144 x 96mm Length x Height, 0.05kg
SI-2210	100mm Pistol Sander - 100mm Fibre Discs, Variable Speed	100 x 22CH Disk Size, 7/16"-20 Spindle Thread, 18000rpm, 123 x 167mm Length x Height, 0.99kg
SI-2210R	75mm Quick Change Sander - 75mm Rubber Backing Pad for EZ-LOK Discs, Variable Speed	75mm ø Disc Size, 18000rpm, 1/4" NPT, 123 x 167mm Length x Height, 1.01kg
SI-2300	180mm Verticle Sander - 178mm Plastic Backing Pad for Fibre Discs, Variable Speed	178 x 22CH Disc Size, 5/8"-11 Spindle Thread, 4000rpm, 187 x 258mm Length x Height, 2.27kg
SI-2351	180mm Angle Sander - 178mm Plastic Backing Pad for Fibre Discs	178 x 22CH Disc Size, 5/8"-11 Spindle Thread, 4500rpm, 358 x 100mm Length x Height, 2.12kg

24. SANDERS (CONTINUED...)

Wet Sanders

- Hollow spindle
- Centre water feed



Part No.	Description	Specifications
SI-2322 WR-E	Angle Wet Sanders - Hollow Spindle, Centre Water Feed	M14 x 2.0 Spindle Thread, 5000rpm, 230 x 93mm Length x Height, 1.3kg
SI- 2351W	Angle Wet Sanders - Hollow Spindle, Centre Water Feed	5/8"-11 Spindle Thread, 4500rpm, 358 x 100mm Length x Height, 2.47kg
SI-2451W	Angle Wet Sanders - Hollow Spindle, Centre Water Feed	5/8"-11 Spindle Thread, 2300rpm, 358 x 100mm Length x Height, 2.48kg

Random Orbital Sanders

- Top quality tool designed for many automotive and industrial uses
- Further information available on request



Part No.	Description	Specifications
SI-2107A	50mm Bar Handle Sander - Aluminium / Foam / Velcro Pad, Variable Speed	50mm ø Pad, 8500rpm, 3mm Orbital ø, 0.55kg
SI-3100	150mm Bar Handle Sander - Foam / Plastic Backing Pad, Variable Speed	150mm ø Pad, Velcro or PSA Paper Mount, 8000rpm, 7mm Orbital ø, 1.82kg
SI-3100V	150mm Vacuum Sander - SI-31000 Fitted with Vacuum Take Off Accessories	150mm ø Pad, Velcro or PSA Paper Mount, 8000rpm, 7mm Orbital ø, 2.04kg
SI-3101-6	150mm Palm Grip Sander - Light Weight Plastic Skirt, Variable Speed	150mm ø Pad, Velcro or PSA Paper Mount, 10 000rpm, 5mm Orbital ø, 0.92kg
SI-3102	75mm Mini Palm Grip Sander	75mm ø Pad, 5/16"-24 Spindle Thread, Velcro Paper Mount, 12 000rpm, 3mm Orbital ø, 0.54kg
SI-3103-6	150mm Palm Grip Sander - Heavy Duty Metal Skirt, Variable Speed	150mm ø Pad, Velcro or PSA Paper Mount, 8200rpm, 5mm Orbital ø, 1.20kg
SI-3105-6	150mm Bar Handle Sander - Heavy Duty Model, Variable Speed	150mm ø Pad, Velcro or PSA Paper Mount, 9000rpm, 6mm Orbital ø, 1.67kg
SI-3111-6	Self Vac Palm Grip Sander - Light Weight Plastic Skirt, Self Vacuum System, Variable Speed	150mm ø Pad, Velcro or PSA Paper Mount, 9500rpm, 5mm Orbital ø, 1.27kg
SI-3113-6	Self Vac Palm Grip Sander - Heavy Duty Metal Skirt, Self Vacuum System, Variable Speed	150mm ø Pad, Velcro or PSA Paper Mount, 8000rpm, 5mm Orbital ø, 1.59kg
SI-3118-6	Self Vac Bar Handle Sander - Heavy Duty, Self Vacuum System, Variable Speed	150mm ø Pad, Velcro or PSA Paper Mount, 9500rpm, 6mm Orbital ø, 2.15kg

Geared Sander

- Powerful gear driven action
- Very efficient



Part No.	Description	Specifications
SI-3115-6M	150mm Palm Grip Geared Sander - Dust Free	150mm ø Pad, Velcro Paper Mount, 4500rpm, 4.4mm Orbit ø, 1.2kg

Orbital Sanders



Part No.	Description	Specifications
SI-3001	Mini Orbital Palm Grip Sander - Light Weight Plastic Skirt, Variable Speed	75 x 100mm Pad, Velcro or PSA Paper Mount, 7000rpm, 4mm Orbit ø, 1.15kg
SI-3003	Mini Orbital Palm Grip Sander - Heavy Duty Metal Skirt, Variable Speed	75 x 100mm Pad, Velcro or PSA Paper Mount, 8000rpm, 4mm Orbit ø, 1.049kg
SI-3005	1/3 Sheet Orbital Sander - Bar Handle, Variable Speed	90 x 165mm Pad, Paper Clips Paper Mount, 8000rpm, 4.8mm Orbit ø, 1.872kg
SI-3007	1/3 Sheet Orbital Sander - Palm Grip, Variable Speed	95 x 175mm Pad, Paper Clips Paper Mount, 7500rpm, 4.8mm Orbit ø, 1.2kg
SI-3011	Self Vac Mini Sander - Palm Grip, Light Weight Plastic Skirt, Self Vacuum System, Variable Speed	75 x 100mm Pad, Velcro or PSA Paper Mount, 9000rpm, 4mm Orbit ø, 1.15kg
SI-3013	Self Vac Mini Sander - Palm Grip, Heavy Duty Metal Skirt, Self Vacuum System, Variable Speed	75 x 100mm Pad, Velcro or PSA Paper Mount, 7000rpm, 4mm Orbit ø, 1.46kg
SI-3018	1/3 Sheet Self Vac Sander - Bar Handle, Variable Speed, Heavy Duty	95 x 175mm Pad, Velcro or PSA paper Mount, 7000rpm, 4.8mm Orbit ø, 2.31kg

Oscillating Sanders



Part No.	Description	Specifications
SI-3200AS	Triangle Pad Sander - Oscillating Pad Sander, Variable Speed	70 x 75 x 75mm Pad, Velcro Paper Mount, 19 000spm, 182mm Length, 0.65kg
SI-3300	30mm Oscillating Sander	30mm ø Pad, M6 x 1 Spindle Thread, 600rpm, 1/4" NPT, 169 x 38mm Length x Height, 0.57kg





Belt Sanders



Part No.	Description	Specifications
SI-2700	10mm Belt Sander - Speed Controller Optional	10 x 330mm Belt, 1100m/min Belt Speed, 1/4"NPT, 282mm Length, 0.822kg
SI-2760	60mm Belt / Drum Sander	60 x 260mm Belt Size, 800m/min Belt Speed, 1/4"NPT, 218mm Length, 1.200kg
SI-2800	20mm Belt Sander - Speed Controller Optional	20 x 520mm Belt Size, 2500m/min Belt Speed, 1/4"NPT, 357mm Length, 1.43kg
SI-3200AS	30mm Belt Sander - Speed Controller Optional	30 x 540mm Belt Size, 1900m/min Belt Speed, 1/4"NPT, 368mm Length, 2.015kg

Do you have the right **safety gear?**



Please be sure to follow individual manufacturers safety instructions.

For more information call

1800 935 378
1800 WELD QUIP



25. POLISHERS

Polishers

- Further information available on request



Part No.	Description	Specifications
SI-2221	70mm Vertical Polisher - takes 70mm Velcro Lambswool Buff, Variable Speed	70mm ø Pad, 4500rpm, 147mm Height, 0.64kg
SI-2400	180mm Vertical Polisher - takes 180mm Lambswool Buff, Variable Speed	180mm ø Pad, 5/8"-11 Spindle Thread, 2000rpm, 1/4"NPT, 260 x 187mm Length x Height, 2.246kg
SI-2405	150mm Vertical Polisher - takes 150mm Velcro Lambswool Buff	150mm ø Pad, 5/8"-11 Spindle Thread, 1800rpm, 1/4"NPT, 190 x 147mm Length x Height, 1.17kg
SI-2451	180mm Angle Polisher - takes 180mm Lambswool Buff	180mm ø Pad, 5/8"-11 Spindle Thread, 2300rpm, 1/4"NPT, 358 x 100mm Length x Height, 2.13kg
SI-2451LP	100mm Linear Polisher - takes 100 x 100 x 19mm CH Abrasive Wheels	100 x 100 x 19CH Wheel Size, 2300rpm, 1/4"NPT, 340 x 195mm Length x Width, 4.78kg
SI-3100P	150mm Random Orbital Applicator / Polisher - 40mm Thick Velcro Sponge Pad, Variable Speed	150mm ø Pad, 165mm Buff, 8000rpm, 6mm Orbit ø, 1.81kg

26. AIR HAMMERS

Air Hammer

- Medium stroke
- Variable power



Part No.	Description	Specifications
SI-4120A	Medium Stroke Hammer - 20mm Stroke, Variable Power	10.2mm ø Shank, 2600 Blows/min, 1/4"NPT, 208mm Length, 1.60kg

27. SHEARS

Shears

- Straight and gentle curve cutting of sheet metal



Part No.	Description	Specifications
SI-45	Double Cut Shear Head Only - Fits SI-5500 Drill	1.6mm Mild Steel Capacity, 200mm Min. Radius
SI-4500	Double Cut Sheet Metal Shear	1.6mm Mild Steel Capacity 2600spm Blade Speed, 200mm Min. Radius, 1/4" NPT, 1.26kg
SI-5300FC	Heavy Duty Fibre Cement Shear - Forged Blade Housing	1/2" Fibre Cement Sheet Capacity, 2000spm Blade Speed, 40mm Min. Radius, 1/4" NPT, 1.46kg
SI-5300SS	Heavy Duty Scissors Shear - Fixed Bottom Blade to Run Along Bench, Forged Blade Housing	Foil, Plastic, Netting, 2000spm Blade Speed, 40mm Min. Radius, 1/4" NPT, 1.46kg
SI-5300PS	Heavy Duty Double Cut Shear - Forged Blade	1.9mm Mild Steel Capacity, 2000spm Blade Speed, 200mm Min. Radius, 1/4" NPT, 1.82kg
SI-5500E	Single Blade Sheet Metal Shear	1.6mm Mild Steel Capacity, 2600spm Blade Speed, 40mm Min. Radius, 1/4" NPT, 1.38kg

28. NIBBLERS

Nibbler

- For use with sheet metal to 1.6mm capacity



Part No.	Description	Specifications
SI-4600	Sheet Metal Nibbler	1.6mm Mild Steel Capacity, 2500spm Stroke Speed, 4.5mm Min. Radius, 1/4" NPT, 1.0kg

29. NEEDLE SCALERS

Needle Scaler

- Heavy duty sealer
- Inline configuration for use in awkward locations
- Ideal for removal of paint and rust



Part No.	Description	Specifications
SI-4150	Heavy Duty Needle Scaler	12 x 3mm ϕ Needle Capacity, 3500 Blows/Min, 1/4" NPT, 333mm Length, 2.06kg

30. PUNCH / FLANGE TOOLS

Punch / Flange Tool



Part No.	Description	Specifications
SI-4800	Air / Hydraulic Sheetmetal Punch / Flange Tool	5 ϕ x 1.2mm Punching Capacity, 22 x 12 x 1.2mm Flanging Capacity, 1/4" NPT, 228mm Length, 1.01kg

31. SAWS

Saw



Part No.	Description	Specifications
SI-4700B	Reciprocating Saw - Saws Available with 14, 18, 24 or 32 Teeth Per Inch	1.6mm Mild Steel Cutting Capacity, 10 000spm, 10mm Stroke, 1/4" NPT, 0.58kg
SI-4710	Reciprocating Saw/File - Takes Miniature Flat, Round or Triangular Files As Well As Saw Blades	1.6mm Mild Steel Capacity, 10 000spm, 10mm Stroke, 5mm ϕ File Opening, 0.80kg
SI-4730	Reciprocating Saw/File - Air Motor Driven for Smooth Operation	1.6mm Mild Steel Cutting Capacity, 5mm ϕ File Shank Opening, 6 000spm, 8mm Stroke, 256mm Length, 0.92kg



32. SEALER CUTTERS

Sealant Cutter

- Oscillating action
- Variable speed



Part No.	Description	Specifications
SI-3200AK	Sealant Knife - Oscillating Action, Variable Speed	57mm Offset Std. Blade, 19 000spm, 1/4" NPT, 250mm Inc. Blade Length, 0.670kg

33. ACCESSORIES

Drill Chucks



Part No.	Description	Specifications
RC3838L	Light Duty Metal Keyed Chuck	1-10mm Capacity, 3/8", 24 Mount
RC3838H	Heavy Duty Metal Keyed Chuck	1-10mm Capacity, 3/8", 24 Mount
RC1238	Light Duty Metal Keyed Chuck	1-13mm Capacity, 3/8", 24 Mount
KL3838	Plastic Keyless Chuck	1-10mm Capacity, 3/8", 24 Mount
KL1238	Plastic Keyless Chuck	1-12mm Capacity, 3/8", 24 Mount

Porta - All Metal Keyless Chucks



Part No.	Description	Specifications
KP1438M	Heavy Duty Metal Keyless Chuck	0-6mm Capacity, 3/8", 24 Mount
KP3838M	Heavy Duty Metal Keyless Chuck	0-10mm Capacity, 3/8", 24 Mount
KP1238M	Heavy Duty Metal Keyless Chuck	0-12mm Capacity, 3/8", 24 Mount

Backing Pads Etc



Part No.	Description	Specifications
60726	150mm Sanding Pads - Vinyl Face	Fibre Glass Backing, Riveted Shaft Plate
60796	150mm Sanding Pads - Velcro Face	Fibre Glass Backing, Riveted Shaft Plate
L205, L305, EM4, D42	EZ-LOC Back-up Pads & Adaptors	Available in 1", 2", 3", 4" ø

Surface Conditioning Discs

- Suits Roloc Tyre Backing Pad

Part No.	Description
2" Blue	Fine
2" Maroon	Medium
2" Brown	Course
3" Blue	Fine
3" Maroon	Medium
3" Brown	Coarse



Abrasive Discs

- Suits Roloc Tyre Backing Pad

Part No.	Description
2"	24, 36, 60, 80 & 120 Grit
3"	24, 36, 60, 80 & 120 Grit



Surface Conditioning Kits



Part No.	Description	Specifications
AL205DK	2" Surface Conditioning Kit	Suits Roloc Tyre Backing Pad, 1 x Rubber Roloc Type Backing Pad, 1 x 1/4" Shank Mandril, 2 x 2" Blue Fine Disc, 1 x 2" Brown Coarse Disc
AL305DK	3" kit Also Available	

33. ACCESSORIES (CONTINUED...)

KK Chisels

- Air Hammer Chisels
- 10.2mm Round Shank



Part No.	Description
801	Tie Rod Tool
802	Tail Pipe Cutter
803J	Fork
804	Bushing Remover
805	Bent Scraper
806	Bushing Splitter
807	Sheet Metal Cutter
808	Muffler Cutter
809	Panel Cutter
810	Flat
811	Long Flat
812	Taper Punch
813	Rivet Cutter
814	Blank
815	Spot Weld Breaker
816	Sheet Metal Cutter
817	Bushing Driver
818	Flat Bend
819	Sheet Metal Punch
820	Panel Crimper
821	Smoothing Hammer
822	Straight Punch
823	Paint Scraper
824	Shock Absorber
825	Moil Point
PC-1	Pittsburg Attachment

Abrasive Belts

- 10mm, 20mm & 30mm Wide Belts



Part No.	Description
10mm x 330mm	40, 60, 80 & 120 Grit
20mm x 520mm	40, 60, 80 & 120 Grit
30mm x 540mm	40, 60, 80 & 120 Grit

75mm Cut-Off Discs

- Used with panel cutter



Part No.	Description	Specifications
760908	To Suit SI-2033	0.75 x 1.2 x 9.35CH

34. AIR COMPRESSORS

Air Compressors

- Full range fo Compressors available
- Please refer to the New Machines Catalogue



Call us for more information on our wide range of **Used Machines**

1800 935 378
1800 WELD QUIP





01. POWER TOOLS – ANGLE GRINDERS

Bosch/Hitachi/Makita

- Full range of industrial grinders available
- Further information available on request



Part No.	Bosch
GWS6-100	Angle Grinder 100mm
GWS8-115	Angle Grinder 115mm
GWS10-125	Angle Grinder 125mm
GWS26-180B	Angle Grinder 180mm
GWS20-230	Angle Grinder 230mm

Part No.	Hitachi
G10SR3	Angle Grinder 100mm 730 watt
G12SR3	Angle Grinder 115mm
G13SB3	Angle Grinder 125mm
G18SB3	Angle Grinder 180mm

Part No.	Makita
9556NBK	Angle Grinder 100mm 840 watt
9557NB	Angle Grinder 115mm 840 watt
9555NBK	Angle Grinder 125mm 710 watt
GA7040501	Angle Grinder 180mm
GA9020	Angle Grinder 230mm

02. POWER TOOLS – METAL CUT OFF SAWS

Bosch/Hitachi/Makita

- Superior performance with metal
- Complete with enclosed wheel guard
- easy transportation
- Further information available on request



Part No.	Bosch
GCO2000	Cut Off Saw 355mm 2000 watt

Part No.	Hitachi
CC16SA	Cut Off Saw 406mm 2400 watt

Part No.	Makita
2414NB-2	Cut Off Saw 355mm 2400 watt
24165	Cut Off Saw 406mm 1430 watt

03. POWER TOOLS – DRILLS – POWER

Bosch/Hitachi/Makita

- Designed to suit many drilling applications
- Further information available on request



Part No.	Bosch
GSB13REKLC	Impact Drill 13mm 600 watt
GSB16REKLC	Impact Drill 16mm 701 watt
GSB20-2RET	Impact Drill 20mm 1010 watt

Part No.	Hitachi
D13VF	Variable Speed 13mm 710 watt
DV16V	Impact Drill 16mm 590 watt

Part No.	Makita
6413	Variable Speed 13mm 650 watt
HP1621KSP	Hammer Drill 13mm 650 watt
HR1830	Hammer Drill Rotary 18mm 440 watt

04. POWER TOOLS – DRILLS – CORDLESS

Bosch/Hitachi/Makita

- Extremely compact & light weight
- Lithium Ion battery
- More power & longer life than NIMH
- Further information available on request



Part No.	Description - Bosch
GSR14.4VLI	Cordless Driver Drill 14.4V Lithium Ion
GSR18VLI	Cordless Driver Drill 18V Lithium Ion

Part No.	Description - Hitachi
DS12DVB2	Cordless Driver Drill 13mm 12V

Part No.	Description - Makita
BDF441RFE	Cordless Driver Drill 14.4V Lithium Ion
BDF452SHE	Cordless Driver Drill 18V Lithium Ion
BHP452SHE	Cordless Hammer Drill 18V Lithium Ion

05. POWER TOOLS – GRINDERS – STRAIGHT / DIE

Bosch/Hitachi/Makita

- Straight grinder, ideal for grinding, sanding & metal polishing applications
- Further information available on request



Part No.	Bosch
GG527	Die Grinder 500 watt 27000 rpm
GG527C	Die Grinder Variable Speed 12000, 27000 600 watt
GG565	Straight Grinder 125mm 6800rpm

Part No.	Hitachi
GP2	Die Grinder 25mm 520 watt 25000rpm
GP13	Straight Grinder 125mm 700 watt 4800rpm

Part No.	Makita
GD0600	Die Grinder 400 watt 25000rpm
GD0800C	Die Grinder High Speed Variable 750 watt 7000-28000rpm
9105	Straight Grinder 125mm 750 watt 4800rpm

06. POWER TOOLS – SIASTAR® KIT

Siastar® Kit

- The entire siasta® system in a box always at your finger tips
- Can be enhanced for specific requirements
- Handy and practical when you're on the move
- Optimum protection of machine and tools



Product	Description
Siastar® model	Dim M14 or 5/8" Quantity 1 off
Flap Siastar®	Grit range K40, 60, 80 Dia 125mm (5") Quantity 1 off each
Form Siastar®	Grit range K50, 80, 180, 400 Dia 75mm (5" R 5/32") R4 Quantity 1 off each
Vlies Siastar®	Grit range medium S, fine A Dia 115mm R4 (4 1/2") Quantity 1 off each
Strip Siastar®	Dia 115mm R4 (4 1/2") Quantity 1 off
Wing Siastar®	Grit range K80, coarse, medium Dia 30mm (1 3/16") Quantity 3 off each Grit range K80, coarse, medium Dia 50mm (2") Quantity 3 off each Grit range K80, coarse, medium Dia 70mm (2 3/4") Quantity 3 off each
Shaft Siastar®	Quantity 1 off

Siastar® Kit (Continued...)

Product	Description
Belt Siastar®	Grit range coarse, medium, fine Dia 25 x 660mm (1 x 26") Quantity 1 off each
Beltwheel Siastar®	Quantity 1 off
Cut Siastar®	Dia 125mm (5") Quantity 1 off
Fibre Siastar®	Grit range K40, 60, 80, 120 Dia 125mm (5") Quantity 1 off each
Fibrepad Siastar®	Dia 125mm (5") Quantity 1 off Dia 115mm (4 1/2") Quantity 1 off
Siastar® Safety Goggles	Quantity 1 off
Siastar® Angle Grinder	Optional

Part No.	Siastar® Kit
T6314	Can be supplied with or without angle grinder



Flap Siastar®

- Faster tool change
- Robot compatible
- Very high removal rate
- Very long lifetime
- Cool cut for use on INOX



Part No.	Description
T6317.0040.2	Grit range K040, Dia 115mm (4 1/2")
T6317.0060.2	Grit range K060, Dia 115mm (4 1/2")
T6317.0080.2	Grit range K080, Dia 115mm (4 1/2")
T6318.0040.2	Grit range K040, Dia 125mm (5")
T6318.0060.2	Grit range K060, Dia 125mm (5")
T6318.0080.2	Grit range K080, Dia 125mm (5")

Form Siastar®

- Faster tool change
- Robot compatible
- High removal rate
- Universal use
- Cool cut with highly active additives for use on INOX
- Design based on radii





Form Siastar® (Continued...)

Part No.	Description
T6319.0050.3	Grit range K050, Radius R4 mm (R 5/32") Dia 75mm (3")
T6319.0080.3	Grit range K080, Radius R4 mm (R 5/32") Dia 75mm (3")
T6319.0180.3	Grit range K180, Radius R4 mm (R 5/32") Dia 75mm (3")
T6319.0400.3	Grit range K400, Radius R4 mm (R 5/32") Dia 75mm (3")
T6320.0050.2	Grit range K050, Radius R2 mm (R 5/64") Dia 115mm (4 1/2")
T6320.0080.2	Grit range K080, Radius R2 mm (R 5/64") Dia 115mm (4 1/2")
T6320.0180.2	Grit range K180, Radius R2 mm (R 5/64") Dia 115mm (4 1/2")
T6320.0400.2	Grit range K400, Radius R2 mm (R 5/64") Dia 115mm (4 1/2")
T6321.0050.2	Grit range K050, Radius R4 mm (R 5/32") Dia 115mm (4 1/2")
T6321.0080.2	Grit range K080, Radius R4 mm (R 5/32") Dia 115mm (4 1/2")
T6321.0180.2	Grit range K180, Radius R4 mm (R 5/32") Dia 115mm (4 1/2")
T6321.0400.2	Grit range K400, Radius R4 mm (R 5/32") Dia 115mm (4 1/2")
T6322.0050.2	Grit range K050, Radius R2 mm (R 5/64") Dia 125mm (5")
T6322.0080.2	Grit range K080, Radius R2 mm (R 5/64") Dia 125mm (5")
T6322.0180.2	Grit range K180, Radius R2 mm (R 5/64") Dia 125mm (5")
T6322.0400.2	Grit range K400, Radius R2 mm (R 5/64") Dia 125mm (5")
T6323.0050.2	Grit range K050, Radius R4 mm (R 5/32") Dia 125mm (5")
T6323.0080.2	Grit range K080, Radius R4 mm (R 5/32") Dia 125mm (5")
T6323.0180.2	Grit range K180, Radius R4 mm (R 5/32") Dia 125mm (5")
T6323.0400.2	Grit range K400, Radius R4 mm (R 5/32") Dia 125mm (5")

Call us for all your **service** and **repairs**



- ✓ Service Department
- ✓ On-site Service
- ✓ Test & Tag
- ✓ 24hr Response Time



For more information call

1800 935 378
1800 WELD QUIP

Check out our **New Machines Catalogue** for our new **TIG Brush.**

1800 935 378
1800 WELD QUIP

"If you can weld it, TIG Brush® can clean it!"



Vlies Siastar®

- Faster tool change
- Robot-compatible
- Low clogging
- No lubrication on INOX
- No change to work piece geometry
- Very flexible



Part No.	Description
T6324.4721.8	Grit range Medium S, Dia 115mm (4 1/2")
T6330.5911.8	Grit range SD fine A, Dia 115mm (4 1/2")

Strip Siastar®

- Faster tool change
- Robot-compatible
- Very long lifetime
- Low clogging
- No lubrication on INOX
- No change to work piece geometry



Part No.	Description
T6325.1924.8	Dia 115mm (4 1/2")

Part No.	Fibrepad Siastar® accessories
T6366.0000.1	Dia 115mm (4 1/2")
T6366.0001.1	Dia 125mm (5")



06. POWER TOOLS – SIASTAR® KIT (CONTINUED...)

Cut Siastar®

- Faster tool change
- Robot-compatible
- Cool cut for use on INOX
- High lateral stability
- Clean cutting with little burr formation
- Minimum material wastage



Part No.	Description
T6359.0000.2	Thickness 1.0mm (3/64") Dia 115mm (4 1/2")
T6361.0000.2	Thickness 1.6mm (1/16") Dia 115mm (4 1/2")
T6360.0000.2	Thickness 1.0mm (3/64") Dia 125mm (5")
T6362.0000.2	Thickness 1.6mm (1/16") Dia 125mm (5")

Fibre Siastar®

- Faster tool change
- Robot-compatible
- Very high removal rate
- Very long lifetime
- Cool cut with highly active additives for use on INOX




Part No.	Description
T6363.0040.6	Grit range K40 Dia 115mm (4 1/2")
T6363.0060.6	Grit range K60 Dia 115mm (4 1/2")
T6363.0080.6	Grit range K80 Dia 115mm (4 1/2")
T6363.0120.6	Grit range K120 Dia 115mm (4 1/2")
T6364.0040.6	Grit range K40 Dia 125mm (5")
T6364.0060.6	Grit range K60 Dia 125mm (5")
T6364.0080.6	Grit range K80 Dia 125mm (5")
T6364.0120.6	Grit range K120 Dia 125mm (5")

Part No.	Fibrepad Siastar® accessories
T6366.0000.1	Dia 115mm (4 1/2")
T6366.0001.1	Dia 125mm (5")



Belt Siastar®

- Faster tool change
- Simple handling
- Low clogging
- Cool cut for use on INOX
- Reclosable belt joint
- Optimum adaption to work piece



Part No.	Description
T6358.2921.2	Grit range coarse Dim 25 x 660mm (1 x 26") Series 6230 scm Hyperflex
T6358.4921.2	Grit range medium Dim 25 x 660mm (1 x 26") Series 6230 scm Hyperflex
T6358.5921.2	Grit range fine Dim 25 x 660mm (1 x 26") Series 6230 scm Hyperflex

Part No.	Beltwheel Siastar® accessories
T6365.0000.1	Dia 65mm (2 3/5") width 25mm (1")



Wing Siastar®

- Faster tool change
- Simple handling
- Robot-compatible
- Low clogging
- Universal use
- Cool cut for use on INOX



Part No.	Description
T6346.0080.6	Grit range K080 Dia 30mm (1 3/16") Series 2813 siacut
T6349.2922.6	Grit range coarse Dia 30mm (1 3/16") Series 6250 scm
T6349.4922.6	Grit range medium Dia 30mm (1 3/16") Series 6250 scm
T6347.0080.5	Grit range K080 Dia 50mm (2") Series 2813 siacut
T6350.2922.5	Grit range coarse Dia 50mm (2") Series 6250 scm
T6350.4922.5	Grit range medium Dia 50mm (2") Series 6250 scm
T6348.0080.5	Grit range K080 Dia 70mm (2 3/4") Series 2813 siacut
T6351.2922.5	Grit range coarse Dia 70mm (2 3/4") Series 6250 siacut
T6351.4922.5	Grit range medium Dia 70mm (2 3/4") Series 6250 siacut

Part No.	Shaft Siastar® accessories
T6355.0000.1	Length 150mm (6")



- The centrepiece of Siastar® is the quick release adapter which fits any conventional angle and straight grinders.
- The wide range of abrasives turns your grinder into a multifunctional all-rounder. Tool changes are a breeze and can be carried out in a matter of seconds without additional keys.
- Siastar® is indispensable to all users!

Most power tools and brands available upon request

Ask us about our complete range of engineering supply catalogues



01. Spare Parts



07. Safety Equipment



02. Consumables



08. Hire, Service & Repair



03. Welding Accessories



09. New Machines



04. Abrasives



10. Air & Power Tools



05. Engineering Supplies



11. Used Machines



06. Gas Equipment

Call 1800 935 378 to order



©Weld-Quip Supply Co. 2009. All rights reserved.

The entire contents of this catalogue are copyright. Photocopying, scanning, duplications, or copying of the pictures or information (except as permitted under the Copyright Act) is a breach of copyright and may result in legal action. No part of this catalogue may be stored electronically in any form without specific written permission from Weld-Quip Supply Co. Weld-Quip Supply Co. acknowledge the permission given by their suppliers and others in the use of trademarks and images. Non-genuine parts may be advertised with reference to the original manufacturer's trade name and/or part number for identification purposes only. All trademarks and trade names are the property of their respective owners.

All work practice recommendations, test results, suitability for use and productivity claims made in this catalogue are indicative only. All products are supplied subject to Weld-Quips terms and conditions of sale which are available on request. Dimensions are subject to verification. General information E&OE. Weld-Quip Supply Co. reserve the right to modify designs, specifications, colours, models and part numbers or withdraw products without notice. All prospective purchases and users should conduct their own tests to determine the suitability of products to actual job conditions. Whilst every effort will be made to ensure supply, some goods may not be available in all areas.



WELD QUIP SUPPLY CO.
Engineering Supply Specialists
2 Hollylea Road Leumeah,
NSW 2560

1800 935 378